| L Number | Hits | Search Text | DB | Time stamp |
|---|---|---|---|---|
| 47 | 410 | (user or customer or client) with (input$4 or enter$) near3 ("serial no$1" or "serial number") | USPAT; US-PGPUB | 2004/09/29 10:48 |
| 49 | 3 | (user or customer or client) with (input$4 or enter$) near3 ("serial no$1" or "serial number") with (storage adj medi$4) | USPAT; US-PGPUB | 2004/09/29 11:29 |
| 48 | 171 | ((user or customer or client) with (input$4 or enter$) near3 ("serial no$1" or "serial number")) and @ad<20010101. | USPAT; US-PGPUB | 2004/09/29 11:28 |
| 50 | 7 | (user or customer or client) with (input$4 or enter$) near3 ("serial no$1" or "serial number") with ((storage adj medi$4) or floppy$1disk or hard$1disk or zip$1disk or cd$1rom) | USPAT; US-PGPUB | 2004/09/29 12:21 |
| 51 | 24 | (((convert$4 or change) with (password or "user input" or pin)) with ((serial adj no$1) or (serial adj number))) | USPAT; US-PGPUB | 2004/09/29 12:24 |
| 66 | 229 | (("serial no" or "serial no." or "serial number") with (storage near2 medi$4)) | USPAT; US-PGPUB | 2004/09/29 12:54 |
| 79 | 1 | 4757534.pn. | USPAT; US-PGPUB | 2004/09/29 14:17 |
| 80 | 82 | 4757534.URPN. | USPAT | 2004/09/29 14:19 |
| - | 2959 | 713/201.ccls. | USPAT; US-PGPUB | 2004/09/27 09:16 |
| - | 3749 | ((deny$4 or reject$4 or authenticat$4) with ((data or file or program) near3 (store$4 or loaded$4))) | USPAT; US-PGPUB | 2004/09/24 16:50 |
| - | 636 | ((deny$4 or reject$4 or authenticat$4) with ((data or file or program) near3 (store$4 or loaded$4)) with ((storage near3 medi$4) or hard$1disk or floppy$1disk or zip$1disk or CD$1Rom or comput$4)) | USPAT; US-PGPUB | 2004/09/27 14:25 |
| - | 4 | ((((deny$4 or reject$4 or authenticat$4) with ((data or file or program) near3 (store$4 or loaded$4)) with ((storage near3 medi$4) or hard$1disk or floppy$1disk or zip$1disk or CD$1Rom or comput$4))) and ((generat$4 or compar$4 or convert$4) with(signal near3 lock$4))) | USPAT; US-PGPUB | 2004/09/24 14:04 |
| - | 3 | (((deny$4 or reject$4 or authenticat$4) with ((data or file or program) near3 (store$4 or loaded$4)) with ((storage near3 medi$4) or hard$1disk or floppy$1disk or zip$1disk or CD$1Rom or comput$4)) and (lock$4 near signal)) | USPAT; US-PGPUB | 2004/09/24 14:11 |
| - | 385 | (((deny$4 or reject$4 or authenticat$4) with ((data or file or program) near3 (store$4 or loaded$4)) with ((storage near3 medi$4) or hard$1disk or floppy$1disk or zip$1disk or CD$1Rom or comput$4)) and signal) | USPAT; US-PGPUB | 2004/09/24 14:11 |
| - | 109 | ((((deny$4 or reject$4 or authenticat$4) with ((data or file or program) near3 (store$4 or loaded$4)) with ((storage near3 medi$4) or hard$1disk or floppy$1disk or zip$1disk or CD$1Rom or comput$4)) and signal) and lock$4) | USPAT; US-PGPUB | 2004/09/24 14:12 |
| - | 41 | (((((deny$4 or reject$4 or authenticat$4) with ((data or file or program) near3 (store$4 or loaded$4)) with ((storage near3 medi$4) or hard$1disk or floppy$1disk or zip$1disk or CD$1Rom or comput$4)) and signal) and lock$4)) and @ay<2001. | USPAT; US-PGPUB | 2004/09/24 14:27 |
| - | 44 | (((lock$4 near3 signal) and (authenticat$4 with ((store$4 or loaded) with (file or data or data$1file or program or software))))) and @ay<2001. | USPAT; US-PGPUB | 2004/09/24 15:18 |

| | | | | |
|---|---|---|---|---|
| – | 6 | (((((storage adj3 medi$3) or hard$1disk or floppy$1disk or zip$1disk or CD or CD$1ROM or computer) with ((serial adj (no$1 or number)) or id or identif$5 or (manufactur$4 adj2 number))) ) and (authenticat$5 with (lock near3 signal))) | USPAT; US-PGPUB | 2004/09/29 10:44 |
| – | 571 | ((((storage adj3 medi$3) or hard$1disk or floppy$1disk or zip$1disk or CD or CD$1ROM or computer) with ((serial adj (no$1 or number)) or id or identif$5 or (manufactur$4 adj2 number))) with (authentica$4 with (data or data$1file or file or software or program))) | USPAT; US-PGPUB | 2004/09/24 15:31 |
| – | 172 | (((((storage adj3 medi$3) or hard$1disk or floppy$1disk or zip$1disk or CD or CD$1ROM or computer) with ((serial adj (no$1 or number)) or id or identif$5 or (manufactur$4 adj2 number))) with (authentica$4 with (data or data$1file or file or software or program)))) and @ay<2001. | USPAT; US-PGPUB | 2004/09/24 15:48 |
| – | 5 | ((((((storage adj3 medi$3) or hard$1disk or floppy$1disk or zip$1disk or CD or CD$1ROM or computer) with ((serial adj (no$1 or number)) or id or identif$5 or (manufactur$4 adj2 number))) with (authentica$4 with (data or data$1file or file or software or program)))) and @ay<2001.) and (lock$4 near3 signal) | USPAT; US-PGPUB | 2004/09/24 15:35 |
| – | 597 | 713/189.ccls. | USPAT; US-PGPUB | 2004/09/27 14:32 |
| – | 5 | 713/189.ccls. and (lock$ near signal) | USPAT; US-PGPUB | 2004/09/24 15:48 |
| – | 9 | 713/189.ccls. and (((((storage adj3 medi$3) or hard$1disk or floppy$1disk or zip$1disk or CD or CD$1ROM or computer) with ((serial adj (no$1 or number)) or id or identif$5 or (manufactur$4 adj2 number)) with (authentica$4 with (data or data$1file or file or software or program))) | USPAT; US-PGPUB | 2004/09/24 16:03 |
| – | 77 | 713/201.ccls. and (((((storage adj3 medi$3) or hard$1disk or floppy$1disk or zip$1disk or CD or CD$1ROM or computer) with ((serial adj (no$1 or number)) or id or identif$5 or (manufactur$4 adj2 number))) with (authentica$4 with (data or data$1file or file or software or program))) | USPAT; US-PGPUB | 2004/09/28 15:50 |
| – | 36 | (713/201.ccls. and (((((storage adj3 medi$3) or hard$1disk or floppy$1disk or zip$1disk or CD or CD$1ROM or computer) with ((serial adj (no$1 or number)) or id or identif$5 or (manufactur$4 adj2 number))) with (authentica$4 with (data or data$1file or file or software or program)))) and @ay<2001. | USPAT; US-PGPUB | 2004/09/24 16:10 |
| – | 36 | 713/202.ccls. and (((((storage adj3 medi$3) or hard$1disk or floppy$1disk or zip$1disk or CD or CD$1ROM or computer) with ((serial adj (no$1 or number)) or id or identif$5 or (manufactur$4 adj2 number))) with (authentica$4 with (data or data$1file or file or software or program))) | USPAT; US-PGPUB | 2004/09/24 16:10 |

| - | 14 | (713/202.ccls. and ((((storage adj3 medi$3) or hard$1disk or floppy$1disk or zip$1disk or CD or CD$1ROM or computer) with ((serial adj (no$1 or number)) or id or identif$5 or (manufactur$4 adj2 number))) with (authentica$4 with (data or data$1file or file or software or program)))) and @ay<2001. | USPAT; US-PGPUB | 2004/09/24 16:47 |
|---|---|---|---|---|
| - | 67 | ((authenticat$4 with (us$4 or by) with ((serial near3 number) or id or identification)) with ((storage near3 medi$3) or hard$1disk or floppy$1disk or zip$1disk or cd$1rom)) | USPAT; US-PGPUB | 2004/09/24 17:10 |
| - | 14 | (((authenticat$4 with (us$4 or by) with ((serial near3 number) or id or identification)) with ((storage near3 medi$3) or hard$1disk or floppy$1disk or zip$1disk or cd$1rom))) and @ay<2001. | USPAT; US-PGPUB | 2004/09/24 17:06 |
| - | 10 | (lock$4 adj2 set$4 adj2 (card or smart$1card)) | USPAT; US-PGPUB | 2004/09/27 11:18 |
| - | 65 | lock$4 adj2 set$4 adj2 signal | USPAT; US-PGPUB | 2004/09/27 09:24 |
| - | 0 | lock$4 adj2 set$4 adj2 signal with authentication | USPAT; US-PGPUB | 2004/09/27 10:57 |
| - | 19 | "5734718" | USPAT; US-PGPUB | 2004/09/27 11:10 |
| - | 1 | 5734718.pn. | USPAT; US-PGPUB | 2004/09/27 11:12 |
| - | 1 | 4853962.pn. | USPAT; US-PGPUB | 2004/09/27 11:18 |
| - | 1 | 5117456.pn. | USPAT; US-PGPUB | 2004/09/27 11:18 |
| - | 77 | ((lock$4 near3 signal) and (authenticat$4 with ((store$4 or loaded) with (file or data or data$1file or program or software)))) | USPAT; US-PGPUB | 2004/09/27 11:19 |
| - | 1 | 713/189.ccls. and (lock$4 adj status) | USPAT; US-PGPUB | 2004/09/27 13:49 |
| - | 3 | 713/182.ccls. and (lock$4 adj status) | USPAT; US-PGPUB | 2004/09/27 11:54 |
| - | 11 | 713/201.ccls. and (lock$4 adj status) | USPAT; US-PGPUB | 2004/09/27 11:54 |
| - | 3 | (((deny$4 or reject$4 or authenticat$4) with ((data or file or program) near3 (store$4 or loaded$4)) with ((storage near3 medi$4) or hard$1disk or floppy$1disk or zip$1disk or CD$1Rom or comput$4)) and (lock$4 with status)) | USPAT; US-PGPUB | 2004/09/27 14:29 |
| - | 597 | 713/189.ccls. | USPAT; US-PGPUB | 2004/09/27 14:32 |
| - | 367 | 713/189.ccls.  and @ay<2002. | USPAT; US-PGPUB | 2004/09/27 14:33 |
| - | 5 | (713/189.ccls.  and @ay<2002.) and (lock$4 with status) | USPAT; US-PGPUB | 2004/09/27 14:37 |
| - | 5 | ((713/189.ccls.  and @ay<2002.) and (lock$4 with status)) | USPAT; US-PGPUB | 2004/09/27 14:34 |
| - | 14 | ((713/189.ccls.  and @ay<2002.) and (((storage adj2 medi$4) or hard$1disk or floppy$1disk or cd$1rom or zip$1disk) with ((serial adj2 (no$1 or number)) or id or identif$4))) | USPAT; US-PGPUB | 2004/09/27 15:14 |

| | | | | |
|---|---|---|---|---|
| - | 50 | (("5473735") or ("6014696") or ("6148102") or ("6173441") or ("6199122") or ("5404479") or ("5428685") or ("5778213") or ("5793970") or ("5832171") or ("5915125") or ("5943517") or ("6072586") or ("6128038") or ("6141662") or ("6199042") or ("6205580") or ("4004135") or ("4363831") or ("4527193") or ("4577219") or ("4586091") or ("4604660") or ("4755889") or ("4789965") or ("4806153") or ("4816911") or ("4935821") or ("4954968") or ("4958235") or ("4974178") or ("5007002") or ("5018080") or ("5197052") or ("5239648") or ("5291401") or ("5321619") or ("5375113") or ("5375221") or ("5381466") or ("5406324") or ("5430486") or ("5432614") or ("5473704") or ("5479411") or ("5493547") or ("5502576") or ("5572699") or ("5602503") or ("5640254")).PN. | USPAT; US-PGPUB | 2004/09/27 14:45 |
| - | 1925 | (serial adj2 (no. or number)) with (encrypt$4 or encod$4 or encipher$4) | USPAT; US-PGPUB | 2004/09/27 16:28 |
| - | 1875 | ("serial no." or "serial number") with (encrypt$4 or encod$4 or encipher$4) | USPAT; US-PGPUB | 2004/09/27 16:28 |
| - | 1205 | (("serial no." or "serial number") with (encrypt$4 or encod$4 or encipher$4)) and @ad <20010703. | USPAT; US-PGPUB | 2004/09/27 16:29 |
| - | 999 | ((("serial no." or "serial number") with (encrypt$4 or encod$4 or encipher$4)) and @ad <20010703.) and ((storage medi$4) or floppy$1disk or hard$1disk or zip$1disk) | USPAT; US-PGPUB | 2004/09/27 16:30 |
| - | 395 | (((("serial no." or "serial number") with (encrypt$4 or encod$4 or encipher$4)) and @ad <20010703.) and ((storage medi$4) or floppy$1disk or hard$1disk or zip$1disk)) and authenticat$4 | USPAT; US-PGPUB | 2004/09/27 16:45 |
| - | 2 | ((((("serial no." or "serial number") with (encrypt$4 or encod$4 or encipher$4)) and @ad <20010703.) and ((storage medi$4) or floppy$1disk or hard$1disk or zip$1disk)) and authenticat$4) and (lock$4 with status) | USPAT; US-PGPUB | 2004/09/27 16:31 |
| - | 1 | ((((("serial no." or "serial number") with (encrypt$4 or encod$4 or encipher$4)) and @ad <20010703.) and ((storage medi$4) or floppy$1disk or hard$1disk or zip$1disk)) and authenticat$4) and (lock$4 near3 status) | USPAT; US-PGPUB | 2004/09/27 16:45 |
| - | 63 | ((((("serial no." or "serial number") with (encrypt$4 or encod$4 or encipher$4)) and @ad <20010703.) and ((storage medi$4) or floppy$1disk or hard$1disk or zip$1disk)) and authenticat$4) and (user adj input) | USPAT; US-PGPUB | 2004/09/27 16:48 |
| - | 145 | ((((("serial no." or "serial number") with (encrypt$4 or encod$4 or encipher$4)) and @ad <20010703.) and ((storage medi$4) or floppy$1disk or hard$1disk or zip$1disk)) and authenticat$4) and (stored adj3 data) | USPAT; US-PGPUB | 2004/09/28 15:52 |
| - | 145 | (encrypt$4 with ((storage adj2 medi$4) or hard$1disk or floppy$1disk or cd$1rom or zip$1disk) with ((serial adj2 (no$1 or number)) or id or identif$4)) | USPAT; US-PGPUB | 2004/09/28 08:22 |
| - | 71 | ((encrypt$4 with ((storage adj2 medi$4) or hard$1disk or floppy$1disk or cd$1rom or zip$1disk) with ((serial adj2 (no$1 or number)) or id or identif$4))) and @ad<20010702. | USPAT; US-PGPUB | 2004/09/28 12:39 |

| | | | | |
|---|---|---|---|---|
| - | 71 | ((((encrypt$4 with ((storage adj2 medi$4) or hard$1disk or floppy$1disk or cd$1rom or zip$1disk) with ((serial adj2 (no$1 or number)) or id or identif$4))) and @ad<20010702.) and ((serial adj2 (no$1 or number)) or id or identif$4)) | USPAT; US-PGPUB | 2004/09/28 08:27 |
| - | 50 | ((encrypt$4 with ((storage adj2 medi$4) or hard$1disk or floppy$1disk or cd$1rom or zip$1disk) with ((serial adj2 (no$1 or number)) or id or identif$4))) and @ad<20010102. | USPAT; US-PGPUB | 2004/09/28 09:10 |
| - | 362 | (generat$4 near3 encrypt$4 near3 key) with (serial adj (no. or number) or id or identification) | USPAT; US-PGPUB | 2004/09/28 09:19 |
| - | 143 | ((generat$4 near3 encrypt$4 near3 key) with (serial adj (no. or number) or id or identification)) and @ad<20010101. | USPAT; US-PGPUB | 2004/09/28 09:13 |
| - | 114 | ((generat$4 near3 encrypt$4 near3 key) with (serial adj (no. or number) or id or identification)) and (storage adj medi$4) | USPAT; US-PGPUB | 2004/09/28 09:17 |
| - | 37 | (((generat$4 near3 encrypt$4 near3 key) with (serial adj (no. or number) or id or identification)) and @ad<20010101.) and (storage adj medi$4) | USPAT; US-PGPUB | 2004/09/28 09:42 |
| - | 174 | (generat$4 near3 encrypt$4 near3 key) near3 (serial adj (no. or number) or id or identification) | USPAT; US-PGPUB | 2004/09/28 10:40 |
| - | 132 | 713/182.ccls. and (storage adj medi$4) | USPAT; US-PGPUB | 2004/09/28 12:45 |
| - | 35 | 713/182.ccls. and (storage adj medi$4) with(encrypt$4 or cipher$4 or encod$4) | USPAT; US-PGPUB | 2004/09/28 09:44 |
| - | 19 | (713/182.ccls. and (storage adj medi$4) with(encrypt$4 or cipher$4 or encod$4)) and @ad<20010501. | USPAT; US-PGPUB | 2004/09/28 09:44 |
| - | 598 | 713/189.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/28 09:52 |
| - | 12 | (713/189.ccls. and (generat$4 with (encrypt$4 or encipher$4 or encode$4)) with ((serial (no. or number)) with (storage medi$4 or hard$1disk or floppy$1disk or zip$1disk or cd$1rom))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/28 09:56 |
| - | 75 | (generat$4 near3 encrypt$4 near3 key) adj2 (serial adj (no. or number) or id or identification) | USPAT; US-PGPUB | 2004/09/28 10:40 |
| - | 36 | ((generat$4 near3 encrypt$4 near3 key) adj2 (serial adj (no. or number) or id or identification)) and @ad<20010501. | USPAT; US-PGPUB | 2004/09/28 10:41 |
| - | 0 | "serial no. of storage medium" with (encrypt$4 or cipher$4 or encod$4) | USPAT; US-PGPUB | 2004/09/28 11:23 |
| - | 0 | "serial no. storage medium" with (encrypt$4 or cipher$4 or encod$4) | USPAT; US-PGPUB | 2004/09/28 11:23 |
| - | 9 | ((("serial no" or "serial no." or "serial number") with (storage near2 medi$4)) with (encrypt$4 or encod$4 or encipher$4)) | USPAT; US-PGPUB | 2004/09/28 11:31 |
| - | 17 | ((("serial no" or "serial no." or "serial number") with (storage near2 medi$4)) ) and (encrypt$4 and authenticat$4) | USPAT; US-PGPUB | 2004/09/28 11:35 |
| - | 64 | (generat$4 adj2 (encrypt$4 or encod$4 or encipher$4) adj2 key) near3 ("serial no of storage medium" or "serial no. of storage medium" or "id" or "identification") | USPAT; US-PGPUB | 2004/09/28 11:42 |
| - | 26 | ((generat$4 adj2 (encrypt$4 or encod$4 or encipher$4) adj2 key) near3 ("serial no of storage medium" or "serial no. of storage medium" or "id" or "identification") ) and @ad<20010501 | USPAT; US-PGPUB | 2004/09/28 11:42 |
| - | 88735 | ("serial no." or "serial no" or "serial number" with (encrypt$4 or encipher$4 or encod$4)) | USPAT; US-PGPUB | 2004/09/28 12:42 |

| | | | | |
|---|---|---|---|---|
| - | 14213 | (("serial no." or "serial no" or "serial number" with (encrypt$4 or encipher$4 or encod$4))) and (card or smartcard or biometric or voice) | USPAT; US-PGPUB | 2004/09/28 12:42 |
| - | 2636 | ((("serial no." or "serial no" or "serial number" with (encrypt$4 or encipher$4 or encod$4))) and (card or smartcard or biometric or voice)) and authenticat$4 | USPAT; US-PGPUB | 2004/09/28 12:42 |
| - | 1 | (((("serial no." or "serial no" or "serial number" with (encrypt$4 or encipher$4 or encod$4))) and (card or smartcard or biometric or voice)) and authenticat$4) and @ad<20010501. and 713/183.ccls. | USPAT; US-PGPUB | 2004/09/28 12:43 |
| - | 766 | (((("serial no." or "serial no" or "serial number" with (encrypt$4 or encipher$4 or encod$4))) and (card or smartcard or biometric or voice)) and authenticat$4) and @ad<20010501. | USPAT; US-PGPUB | 2004/09/28 12:48 |
| - | 23 | (((("serial no." or "serial no" or "serial number" with (encrypt$4 or encipher$4 or encod$4))) and (card or smartcard or biometric or voice)) and authenticat$4) and @ad<20010501. and 713/193.ccls. | USPAT; US-PGPUB | 2004/09/28 13:32 |
| - | 1 | 6345360.pn. | USPAT; US-PGPUB | 2004/09/28 14:16 |
| - | 242 | (storage adj2 medi$4) near3 (encrypt$4 or encipher$4 or encod$4) with (serial (no$1 or number)) | USPAT; US-PGPUB | 2004/09/28 14:19 |
| - | 145 | ((storage adj2 medi$4) near3 (encrypt$4 or encipher$4 or encod$4) with (serial (no$1 or number))) and @ad<20010501. | USPAT; US-PGPUB | 2004/09/28 14:32 |
| - | 0 | "serial no." with (encrypt$4 or encipher$4 or encod$4) | USPAT; US-PGPUB | 2004/09/28 14:33 |
| - | 199 | "serial no" with (encrypt$4 or encipher$4 or encod$4) | USPAT; US-PGPUB | 2004/09/28 14:34 |
| - | 78 | ("serial no" with (encrypt$4 or encipher$4 or encod$4)) and @ad<20010501. | USPAT; US-PGPUB | 2004/09/28 14:39 |
| - | 9 | "Scalable Computer System Using Password-Based private Key Encryption" | USPAT; US-PGPUB | 2004/09/28 14:40 |
| - | 34 | "serial no" with (encrypt$4 or encipher$4 or cipher$4) | USPAT; US-PGPUB | 2004/09/28 15:32 |
| - | 8 | ("serial no" with (encrypt$4 or encipher$4 or cipher$4)) and @ad<20010501. | USPAT; US-PGPUB | 2004/09/28 15:33 |
| - | 1174 | (("serial no." or "serial number") with (encrypt$4 or encod$4 or encipher$4) and @ad<20010501.) | USPAT; US-PGPUB | 2004/09/28 15:53 |
| - | 1879 | ("serial no." or "serial number") with (encrypt$4 or encod$4 or encipher$4) | USPAT; US-PGPUB | 2004/09/28 16:01 |
| - | 1174 | (("serial no." or "serial number") with (encrypt$4 or encod$4 or encipher$4) ) AND @AD<20010501. | USPAT; US-PGPUB | 2004/09/28 16:01 |
| - | 0 | ((("serial no." or "serial number") with (encrypt$4 or encod$4 or encipher$4) ) AND @AD<20010501.) AND 713/189.CCLS. AND 380.CCLS. | USPAT; US-PGPUB | 2004/09/28 15:58 |
| - | 890 | ("serial no." or "serial number") NEAR3 (encrypt$4 or encod$4 or encipher$4) | USPAT; US-PGPUB | 2004/09/28 16:02 |
| - | 471 | ("serial no." or "serial number") ADJ2 (encrypt$4 or encod$4 or encipher$4) | USPAT; US-PGPUB | 2004/09/28 16:03 |
| - | 301 | (("serial no." or "serial number") ADJ2 (encrypt$4 or encod$4 or encipher$4) ) AND @AD<20010501. | USPAT; US-PGPUB | 2004/09/28 16:05 |
| - | 42 | ((("serial no." or "serial number") ADJ2 (encrypt$4 or encod$4 or encipher$4) ) AND @AD<20010501.) AND (STorage adj medi$3) | USPAT; US-PGPUB | 2004/09/28 16:10 |
| - | 3 | ("serial no" or "serial no." or "serial number") near3 (storage adj medi$4) with (encrypt$4 or encod$4 or encipher$4) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/09/28 16:24 |

| - | 8 | ("serial no" or "serial no." or "serial number") with (storage adj medi$4) with (encrypt$4 or encod$4 or encipher$4) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/28 16:32 |
|---|---|---|---|---|
| - | 5 | 672611.pn. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/28 16:33 |
| - | 2 | 6272611.pn. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/28 16:56 |
| - | 2 | 6367019.pn. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/28 16:56 |